

V60 TINE FORK GRAPPLE

Available widths 72", 78", 84", 90"

The toughest Virnig tine fork grapple designed to handle manure, brush and debris.



2.25" 1045 CSFR STEEL TINES	40.2" JAW OPENING	~4.5" TINE SPACING	> 2400 LB LOADER OPERATING CAP.
------------------------------------	--------------------------	---------------------------	---

1. NO CROSS MEMBER FOR BETTER PENETRATION
2. 1/2" VERTICAL BRACES INSIDE BUCKET
3. HIGH STRENGTH REPLACEABLE TINES
4. NITROSTEEL® CYLINDER RODS & TEFLON® COATED BUSHINGS ON ALL PIVOTS

MODEL	ITG72	ITG78	ITG84	ITG90
Overall Width (Inches)	73.5	79.3	85.3	91.3
Height: Overall / Bucket (In)	28.5 / 23.5			
Overall Depth (Inches)	37.0			
Number of Tines (w/ Sides)	11	12	13	13
Space Between Tines (In)	4.6	4.5	4.4	4.9
Tine Diameter (Inches)	2.25*			
Cylinder Bore / Stroke (In)	2.0 / 8.375			
Cylinder Pins / Hinge Pins Dia (In)	1.25 / 1.563			
Grapple Jaw Opening (Inches)	40.2			
Approximate Weight (Pounds)	1325	1400	1470	1495
Recommended Loader Capacity	Greater than 2400 pounds			

*Material is 1045 CFSR Round Stock (100,000 PSI Minimum Yield Strength).

V50 SKELETON TINE GRAPPLE

Available widths 66", 72", 78", 84", 90"

No front cross member for better material penetration and open sides for hauling logs and brush.



0.5" GRADE 80 STEEL TINES	36.4" JAW OPENING	~9.0" TINE SPACING	> 1500 LB LOADER OPERATING CAP.
----------------------------------	--------------------------	---------------------------	---

1. EVERY TINE IS MADE FROM ONE PIECE OF STEEL FOR MAXIMUM RIGIDITY
2. TINES FULLY GUSSETED FOR ADDED STRENGTH
3. NITROSTEEL® CYLINDER RODS & TEFLON® COATED BUSHINGS ON ALL PIVOTS

MODEL	STG66	STG72	STG78	STG84	STG90
Overall Width (Inches)	68.0	74.0	80.0	86.0	92.0
Height: Overall / Bucket (Inches)	27.5 / 21.1				
Overall Depth (Inches)	36.5				
Number of Tines (w/ Sides)	8	9	10	10	11
Space Between Tines (Inches)	9.5	8.4	8.7	9.3	8.5
Tine Thickness (Inches)	0.5*				
Cylinder Bore / Stroke (Inches)	2.0 / 8.375				
Cylinder Pins / Hinge Pins Dia (In)	1.25 / 1.563				
Grapple Jaw Opening (Inches)	36.4				
Approximate Weight (Pounds)	910	950	990	1010	1050
Recommended Loader Capacity	Greater than 1500 pounds				

*Material is Grade 80 Plate (80,000 PSI Minimum Yield Strength).